

兔抗 NFATC4 多克隆抗体

- 中文名称：兔抗 NFATC4 多克隆抗体
- 英文名称：Anti-NFATC4 rabbit polyclonal antibody
- 别名：NFAT3; NF-ATc4
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：NFATC4
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	The product of this gene is a member of the nuclear factors of activated T cells DNA-binding transcription complex. This complex consists of at least two components: a preexisting cytosolic component that translocates to the nucleus upon T cell receptor (TCR) stimulation and an inducible nuclear component. Other members of this family of nuclear factors of activated T cells also participate in the formation of this complex. The product of this gene plays a role in the inducible expression of cytokine genes in T cells, especially in the induction of the IL-2 and IL-4. Alternatively spliced transcript variants encoding different isoforms have been noted for this gene.
Applications:	ELISA, WB

Name of antibody:	NFATC4
Immunogen:	Synthetic peptide of human NFATC4
Full name:	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 4
Synonyms :	NFAT3; NF-ATc4
SwissProt:	Q14934
ELISA Recommended dilution:	2000-5000
WB Predicted band size:	102 kDa
WB Positive control:	NIH/3T3 and Jurkat cells
WB Recommended dilution:	500-2000

