

兔抗 RPL10 多克隆抗体

中文名称：兔抗 RPL10 多克隆抗体

英文名称：Anti-RPL10 rabbit polyclonal antibody

别名：QM; L10; NOV; AUTSX5; DXS648; DXS648E

相关类别：一抗

储存：冷冻（-20℃）避光

抗原：RPL10

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of four RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit.

	<p>it. The protein belongs to the L10E family of ribosomal proteins. It is located in the cytoplasm. In vitro studies have shown that the chicken protein can bind to c-Jun and can repress c-Jun-mediated transcriptional activation, but these activities have not been demonstrated in vivo.</p>
Applications:	WB
Name of antibody:	RPL10
Immunogen:	Synthesized peptide derived from internal of human 60S Ribosomal Protein L10.
Full name:	ribosomal protein L10
Synonyms :	QM; L10; NOV; AUTSX5; DXS648; DXS648E
SwissProt:	P27635
WB Predicted band size:	25 kDa
WB Positive control:	K562 cells treated with Insulin (0.01u/ml, 15mins) lysate
WB Recommended dilution:	500-3000

