

兔抗 TAOK3 多克隆抗体

中文名称: 兔抗 TAOK3 多克隆抗体

英文名称: Anti-TAOK3 rabbit polyclonal antibody

别 名: DPK; JIK; MAP3K18

相关类别: 一抗

存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: TAOK3

反应种属: Human

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:	Serine/threonine-protein kinase that acts as a regulato r of the p38/MAPK14 stress-activated MAPK cascade a nd of the MAPK8/JNK cascade. Acts as an activator of the p38/MAPK14 stress-activated MAPK cascade. In re sponse to DNA damage, involved in the G2/M transiti on DNA damage checkpoint by activating the p38/MA PK14 stress-activated MAPK cascade, probably by med iating phosphorylation of upstream MAP2K3 and MAP 2K6 kinases. Inhibits basal activity of MAPK8/JNK casc ade and diminishes its activation in response epiderm al growth factor (EGF).
Applications:	WB
Name of antibody:	TAOK3
Immunogen:	Synthesized peptide derived from internal of human T AOK3.



www.shjning.com

Full name:	TAO kinase 3
Synonyms:	DPK; JIK; MAP3K18
SwissProt:	Q9H2K8
WB Predicted band size:	105 kDa
WB Positive control:	K562 cells lysate
WB Recommended dilution:	500-3000

