

兔抗 GABRA1 多克隆抗体

中文名称：兔抗 GABRA1 多克隆抗体

英文名称：Anti-GABRA1 rabbit polyclonal antibody

别名：EJM; ECA4; EJM5

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：GABRA1

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|----------------------|---|
| Background: | This gene encodes a gamma-aminobutyric acid (GABA) receptor. GABA is the major inhibitory neurotransmitter in the mammalian brain where it acts at GABA-A receptors, which are ligand-gated chloride channels. Chloride conductance of these channels can be modulated by agents such as benzodiazepines that bind to the GABA-A receptor. GABA-A receptors are pentameric, consisting of proteins from several subunit classes: alpha, beta, gamma, delta and rho. Mutations in this gene cause juvenile myoclonic epilepsy and childhood absence epilepsy type 4. Multiple transcript variants encoding the same protein have been identified for this gene |
| Applications: | ELISA, WB, IHC |

| | |
|------------------------------------|--|
| Name of antibody: | GABRA1 |
| Immunogen: | Synthetic peptide of human GABRA1 |
| Full name: | gamma-aminobutyric acid (GABA) A receptor, alpha 1 |
| Synonyms : | EJM; ECA4; EJM5 |
| SwissProt: | P14867 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human thyroid cancer and Human gastric cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 52 kDa |
| WB Positive control: | LoVo cells |
| WB Recommended dilution: | 500-2000 |



